

Drupal development with the Eclipse IDE Lowell Montgomery, Cocomore AG / Freelancer

Thursday, March 8, 2012

About myself (in short)

- Lowell Montgomery (LoMo on Drupal.org)
- Live in Frankfurt, Germany (Born in UK and "from" northern California)
- First Drupal website: <u>http://FrankfurtNavigator.com</u> (site-builder / themer / author)
- Cocomore: 1) Internee; 2) developer trainee; now freelancer
- Author / Content creator: Cocomore Drupal Blog http://drupal.cocomore.com/blog


But what about Eclipse???

Benefits of using Eclipse

- Free / Open-source
- Multi-Platform (Java-based)
- Powerful debugging features
- Syntax highlighting and error flagging
- Lots of plugins to extend features
- Drupal templates available


Drawbacks of using Eclipse

- Resource hog
- Java-based, not native app
- Some pricey IDEs may be better, especially if you already use them



http://www.eclipse.org/downloads/ Get latest version of Eclipse Classic for your OS

Note: PDT bundles are not up-to-date



Note: You *do* need a JVM (Java Virtual Machine)

Thursday, March 8, 2012

Eclipse/Installation http://wiki.eclipse.org/Eclipse/Installation

Installing Eclipse is relatively easy, but does involve a few steps and software from at least two different sources. Eclipse is a Java-based application and, as such, requires a Java runtime environment (JRE) in order to run.

Contents [hide]
1 Install a JVM
1.1 JRE/JDK Sources
2 Eclipse 3.7.1 (Indigo)
3 Extending Eclipse
4 More information

Install a JVM

[edit]

Regardless of your operating system, you will need to install some Java virtual machine (JVM). You may either install a Java Runtime Environment (JRE), or a Java Development Kit (JDK), depending on what you want to do with Eclipse. If you intend to use Eclipse for Java development, then you should install a JDK (the JDK includes--among other useful things--the source code for the standard Java libraries). If you aren't planning to use Eclipse for Java development and want to save some disk space, install a JRE.

- If you're using Windows, you may already have a JRE installed, but upgrading won't hurt.
- If using Linux, read this
 - GCJ will NOT work.
 - Also see: Installing JRE 1.6.0 (Update x) as the Default Runtime in Linux .

JRE/JDK Sources


[edit]

There are several sources for a JRE/JDK. Here are some of the more common/popular ones (listed alphabetically):


- IBM JDK 🗗
 - Modern OS X has a suitable JRE by default.
- OpenJDK
 Oracle JDK
 Linux users may want Oracle JDK (latest Aptana Studio)

(c) Copyright Eclipse contributors an	to others, 2000, 2011. All rights reserved. Eclipse tames may be trademarks of their respective owners.
	Workspace Launcher
Select a workspace Eclipse SDK stores your projects Choose a workspace folder to us	in a folder called a workspace. e for this session.
Workspace: //Users/lowell/Docu	ments/workspace Browse
☑ Use this as the default and do	not ask again Cancel OK

Select a suitable "workspace" for Eclipse to store your project(s). **Note:** You *can* have multiple workspaces.



Install the PDT (PHP Developer Toolkit)



Help > Install New Software...

\varTheta 🔿 🔿 🛛 Ins	stall	
Available Software		
Check the items that you wish to install.		
check the items that you wish to instan.		
	0	
Work with: Indigo – http://download.eclipse.org/releases/indigo	Add	
work with. Indigo - http://download.eciipse.org/releases/indigo		
Find mo	ore software by working with the "Available Software Sites" preferences.	
type filter text		
Name	Version	
► ▶ 000 Modeling	version	
□ ▼ 000 Programming Languages		
Autotools support for CDT (Incubation)	3.0.1.201108301805	
-	0.0.2.201108301805	
C/C++ Development Tools	8.0.0.201109151620	
C/C++ Development Tools SDK	8.0.0.201109151620	
C/C++ Library API Documentation Hover Help (Incubation	0.3.0.201108301805	
CDT Visual C++ Support	1.0.0.201109151620	
Dynamic Languages Toolkit - iTcl Development Tools	3.0.0.v20110424-799oA5876G8I1489B	
Dynamic Languages Toolkit - Ruby Development Tools	3.0.0.v20110424-7ZE_EkMYXO4k101442	
Dynamic Languages Toolkit - TCL Development Tools	3.0.0.v20101109-0623-7gEC3wSgpTP	
 C/C++ Call Graph Visualization (Incubation) C/C++ Development Tools C/C++ Development Tools SDK C/C++ Library API Documentation Hover Help (Incubation CDT Visual C++ Support Dynamic Languages Toolkit - iTcl Development Tools Dynamic Languages Toolkit - Ruby Development Tools Dynamic Languages Toolkit - TCL Development Tools Dynamic Languages Toolkit - XOTcl Development Tools Eclipse Java Development Tools Eclipse XML Editors and Tools Fortran Development Tools (Photran) BIM XLF Compiler Support JavaScript Development Tools Linux Intel(R) Fortran Compiler Support Object Teams Development Tooling 	3.0.0.v20110424-78kE7A_8KDJ01155	
Eclipse Java Development Tools	3.7.1.r371_v20110810-0800-7z8gFcoF	
Eclipse XML Editors and Tools	3.3.1.v201108102009-7H7EFZ3DxumTla	
Fortran Development Tools (Photran)	7.0.2.201109141657	
BM XLF Compiler Support	7.0.2.201109141657	
JavaScript Development Tools	1.3.1.v201108102009-7F78FXRFBBoPbX	
Linux Intel(R) Fortran Compiler Support	7.0.2.201109141657	
Object Teams Development Tooling	2.0.1.201109101025	
Object Teams Equinox Integration	2.0.1.201109101025	
PHP Development Tools (PDT) SDK Feature	3.0.0.v20110516-1100-7784_23JBVgS	
C Reified Bassilel C Parkeley HDC Taelchsin Support	1.0.2.301100151530	
Select All Deselect All		
Details		
Show only the latest versions of available software	Hide items that are already installed	
Group items by category	What is already installed?	
Show only software applicable to target environment		
Contact all update sites during install to find required software		
Contact an update sites during instan to find required software		
?	<pre></pre>	

Note: Default PDT is **Not** up-to-date

000		Install	
Available Soft Select a site o	ware r enter the location of a site.		
Work with: t	/pe or select a site F	ind more software by working with the <u>"Available Software</u> "	Add Add
type filter text		Click Add	
Name	is no site selected.	Version	
Select All Details	Name: PDT Location: http://download	Add Repository Local d.eclipse.org/tools/pdt/updates/3.0/milestones/ Cancel OK	
Show only th	e latest versions of available soft	tware 🗌 Hide items that are already installed	
d Group items	by category	What is <u>already installed</u> ?	
Show only se	oftware applicable to target envir	ronment	
	pdate sites during install to find		

< Back

Instead, you may want to use the milestones repository...

Cancel

Finish



Next >

?

Work with:	PDT - http://download.eclipse.org/tools/pdt/up	dates/3.0/milestones/	Add
	Find more so	ftware by working with the <u>"Available Softwa</u>	re Sites" preferences.
type filter te	(t		
Name		Version	
🖃 🔻 💷 pdt	3.1.0 M201201110400		
	DT Mylyn Feature	3.0.1.v20120111040	0-4-07w31231222151
	HP Development Tools (PDT) All-In-One SDK	3.0.0.v2012011104	00-77-07E92C5Ad7
	HP Development Tools (PDT) Runtime Feature	3.0.1.v2012011104	00-7V-79F8NcJTcJTT
🕒 🖗 P	HP Development Tools (PDT) SDK Feature	3.0.0.v2012011104	00-77-184_2BEICRg
🕒 🖗 P	HP Development Tools (PDT) Source Feature	3.0.1.v2012011104	00-7V-79F8NcJTcJTT
Select All	Deselect All 1 item selected		
Details			
Show only	the latest versions of available software	Hide items that are already installed	
Group item	s by category	What is already installed?	
Show only	software applicable to target environment		
Contact all	update sites during install to find required softw	are	
Υοι	could just get the	"PDT Runtime Fe	eature"
?	C	< Back Next > Cancel	Finish



Install

Install Details

Review the items to be installed.



Finish

11.

Name	Version	Id
The PHP Development Tools (PDT) All-In-One SDK	3.0.0.v201201110	org.eclipse.php.all.feature.group
🔻 🚯 PDT Mylyn Feature	3.0.1.v201201110	org.eclipse.php.mylyn.feature.group
🔻 🖗 Dynamic Languages Toolkit – Mylyn Integration	3.0.0.v20101025	org.eclipse.dltk.mylyn.feature.group
Dynamic Languages Toolkit – Core Frameworks	3.0.0.v20101211	org.eclipse.dltk.core.feature.group
Mylyn Task List	3.6.2.v20110908	org.eclipse.mylyn_feature.feature.group
Mylyn Task-Focused Interface	3.6.2.v20110908	org.eclipse.mylyn.context_feature.feature
V PHP Development Tools (PDT) SDK Feature	3.0.0.v201201110	org.eclipse.php.sdk.feature.group
Vertice PHP Development Tools (PDT) Runtime Feature	3.0.1.v201201110	org.eclipse.php.feature.group
🔻 🚯 Dynamic Languages Toolkit – Core Frameworks	3.0.0.v20101211	org.eclipse.dltk.core.feature.group
EMF - Eclipse Modeling Framework Core Runtime	2.7.1.v20110912	org.eclipse.emf.ecore.feature.group
Dynamic Languages Toolkit - Core H2 Index Fra	3.0.0.v20101026	org.eclipse.dltk.core.index.feature.group
PHP Development Tools (PDT) Source Feature	3.0.1.v201201110	org.eclipse.php.source.feature.group
Size: 48,544 KB Details) • •

< Back

Next >

Cancel

?



Install

Review Licenses

Licenses must be reviewed before the software can be installed. This includes licenses for software required to complete the install.



*

Licenses:	License text:
 VEclipse Foundation Software User Agreement EMF - Eclipse Modeling Framework Core Runtime 2.7.1.v201109: Mylyn Task List 3.6.2.v20110908-0706 Welyn Task-Focused Interface 3.6.2.v20110908-0706 Eclipse Foundation Software User Agreement Dynamic Languages Toolkit - Core Frameworks 3.0.0.v20101211 Dynamic Languages Toolkit - Core H2 Index Frameworks 3.0.0.v20101025 PDT Mylyn Feature 3.0.1.v201201110400-4-07w312312221511 PHP Development Tools (PDT) All-In-One SDK 3.0.0.v201201110 PHP Development Tools (PDT) SDK Feature 3.0.1.v201201110 PHP Development Tools (PDT) Source Feature 3.0.1.v201201110400 PHP Development Tools (PDT) Source Feature 3.0.1.v201201110400 PHP Development Tools (PDT) Source Feature 3.0.1.v201201110400 	Usage Of Content THE ECLIPSE FOUNDATION MAKES AVAILABLE SOFTWARE, DOCUMENTATION, INFORMATION AND/ OR OTHER MATERIALS FOR OPEN SOURCE PROJECTS (COLLECTIVELY "CONTENT"). USE OF THE CONTENT IS GOVERNED BY THE TERMS AND CONDITIONS OF THIS AGREEMENT AND/OR THE TERMS AND CONDITIONS OF LICENSE AGREEMENTS OR
?	Next > Cancel Finish

000	Installing Software
Installing Softwa	are
Downloading org.eclips	e.wst.common.core
🗌 Always run in backgr	ound
	Cancel Details >> Run in Background

After installation comes a prompt to restart...



Install other Eclipse plugins



All Products

Dreamweaver

Drupal

Eclipse

jQuery

Drupal for Eclipse http://xtnd.us/eclipse/drupal

Version: 0.2.0

Eclipse IDE, PHP, and Drupal - that's a lethal combo! This plug-in for Eclipse provides a layer of Drupal enhancements to PDT (PHP Developer Toolkit) for Eclipse IDE.

Links:

XTND.US Eclipse Plug-ins Install Site

Installation notes

To install any of our Eclipse plug-ins choose the "Help" menu, then "Install New Software". Click the "Add" button or link and add this new software site:

Name: XTND.US

Location: http://xtnd.us/downloads/eclipse

System Requirements

Mac OS X, Windows, and Linux operating systems. Requires <u>Eclipse IDE</u> 3.4 or higher. PDT (PHP Developer Toolkit) must be installed prior to installing this plug-in suite.

Work with:	xTND.US - http://xtnd.us/eclipse/updates	Add
	Find more software by working with the Available Software Sites	preferences.
type filter t	r text	
Name	Version Drupal for Eclipse	
Details		_
Drupal for	or Eclipse 0.0.0.20100101020408	
4		
	nly the latest versions of available software	
Group ite	tems by category What is <u>already installed</u> ?	
Group ite		Finish

000	Install	
Available Software Select a site or enter the location	of a site.	
type filter text Name Image: Image	Add Find more software by working with the "Available Software Sites" preferences. Add Repository Name: XTND.US Local Location: http://xtnd.us/downloads/eclipse Cancel OK	
Select All Deselect All Details Show only the latest versions of Group items by category Show only software applicable t Contact all update sites during	What is <u>already installed</u> ? to target environment	
	<pre></pre>	<u>lipse</u>


$\Theta \cap \Theta$	Install
Available Software Check the items that you wish to install.	
Work with: XTND.US - http://xtnd.us/downloads/eclip	ose Add Add
(type filter text)
Name	Version
 Drupal for Eclipse Drupal for Eclipse PDT 	0.2.1.201001011121
Select All Deselect All 1 item selected	
Details	4
Show only the latest versions of available software	Hide items that are already installed
Group items by category	What is <u>already installed</u> ?
Show only software applicable to target environment	
Contact all update sites during install to find required	software
?	< Back Next > Cancel Finish

0 0 0	Preferences	
(type filter text	Content Types	⇔∙⇔∙▼
 General Appearance Capabilities Compare/Patch Content Types Editors Keys Network Connections Perspectives Search Security Startup and Shutdown Web Browser Workspace Ant Dynamic Languages Help Install/Update Java JavaScript Mylyn PHP Plug-in Development Run/Debug Team Web XML 	See 'File Associations' for associating editors with file types. Content types: Java Class File Text Configuration Files CS Drupal Info Drupal Translation File HTML AR Manifest File Java Properties File Java Source File JavaScript Source File JavaScript Source File Sobject Notation File PHP Content Type Drupal Module Drupal Theme Refactoring History File Refactoring History Index Runtime log files WikiText Mu (Illformed) Content types added by XTND.US plugin	
	File associations: *.install (locked) *.module (locked) *.test (locked)	Add Edit Remove
	Default encoding:	Update
(?)	Cancel	ОК


Install other Eclipse plugins

eGit for GUI-based Git repository actions

0 0		Install	
Available So Check the ite	ftware ms that you wish to install.		
Work with:	Indigo – http://download.eclipse.org/releas	ses/indigo Add	
	Find me	ore software by working with the <u>"Available Software Sites"</u> preferenc	es.
egit			0
Name		Version	
🖃 🔻 💷 Colla	aboration		
	clipse EGit	1.1.0.201109151100-r	
	clipse EGit Mylyn GitHub Feature	1.1.0.201109151100-r	
🖂 🦗 E	Git Mylyn	1.1.0.201109151100-r	
Select All	Deselect All 1 item selected)) -	() >
Details	,		
Details	Deselect All 1 item selected	Hide items that are already installed	
Details	the latest versions of available software	Hide items that are already installed What is <u>already installed</u> ?	
Details Show only t Group item	the latest versions of available software		
Details Show only t Group item Show only s	the latest versions of available software s by category	What is <u>already installed</u> ?	
Details Show only t Group item Show only s	the latest versions of available software s by category software applicable to target environment	What is <u>already installed</u> ?	
Details Show only t Group item Show only s	the latest versions of available software s by category software applicable to target environment	What is <u>already installed</u> ?	








$\Theta \odot \odot$	Git Repository Explo	ring – Eclipse SDK – /Users/lo	well/Documents/workspace	
] 📬 • 🗟 🗟 🗟 🖓 •] 🚳 😂 🔗 •]約•約•♥◆•◆•			😭 🔝 Git Reposito 🧳
O Git Repositories	- 0			- 0
 intlinks [7.x-1.2] - /Users/lowell/G Branches Cocal 7.x-1.2 master Remote Tracking origin/master Tags 7.x-1.0 7.x-1.1 References 	16f7f1b0827d332bee92000d53fa06 ct/intlinks.git ct/intlinks.git ll/Git Checkouts/intlinks	Properties 🕅 🔒 History Property	E ^O Synchronize Cit Staging Cit Staging Value	Git Reflog Repository Configuration Single Value
	The eGit	interface		
C) () (

Install other Eclipse plugins

Subclipse for GUI-based SVN repository actions



Thursday, March 8, 2012

Current Release

Eclipse 3.2/Callisto, 3.3/Europa, 3.4/Ganymede, 3.5/Galileo, 3.6/Helios, 3.7/Indigo, +

Subclipse 1.8.4 and 1.6.18 and 1.4.8 are now available for Eclipse 3.2+!

See the changelog for details. Existing Subclipse users should read the upgrade instructions for important information on changes you to need to make to your Eclipse preferences to see the new version in the update manager.

Subclipse 1.4.x includes and requires Subversion 1.5.x client features and working copy format.

Subclipse 1.6.x includes and requires Subversion 1.6.x client features and working copy format.

Subclipse 1.8.x includes and requires Subversion 1.7.x client features and working copy format.

Links for 1.8.x Release:

Changelog: http://subclipse.tigris.org/subclipse_1.8.x/changes.html Eclipse update site URL: http://subclipse.tigris.org/update_1.8.x Zipped downloads: http://subclipse.tigris.org/servlets/ProjectDocumentList?folderID=2240

Links for 1.6.x Release:

Changelog: http://subclipse.tigris.org/subclipse_1.6.x/changes.html Eclipse update site URL: http://subclipse.tigris.org/update_1.6.x Zipped downloads: http://subclipse.tigris.org/servlets/ProjectDocumentList?folderID=2240


Links for 1.4.x Release:

Changelog: http://subclipse.tigris.org/subclipse_1.4.x/changes.html Eclipse update site URL: http://subclipse.tigris.org/update_1.4.x Zipped downloads: http://subclipse.tigris.org/servlets/ProjectDocumentList?folderID=2240

00	Add Site	
Name:	Subclipse 1.6.x (Eclipse 3.2+)	Local
Location:	http://subclipse.tigris.org/update_1.6.x	Archive
?	Can	cel OK


Name: Subclipse 1.6.x (Eclipse 3.2+) Location: http://subclipse.tigris.org/update_1.6.x

http://subclipse.tigris.org



Critical Stuff: Preferences


Drupal Coding Standards tweaks...




Preferences > General > Text Editors

$\Theta \odot \Theta$	Preferences				
(type filter text	Workspace	\$\$			
▼General ▶Appearance Capabilities	See 'Startup and Shutdown' for workspace startup and shutdown preferences.				
Compare/Patch Content Types	Suild automatically				
► Editors Keys	Refresh using native hooks or polling Refresh on access				
Network Connections Perspectives	Save automatically before build				
Search Security Startup and Shutdown	Always close unrelated projects without prompt				
Web Browser Workspace	Workspace save interval (in minutes): 5				
Build Order Linked Resources	Workspace name (shown in window title):				
Local History Ant Dynamic Languages	Open referenced projects when a project is opened				
► Help ► Install/Update	O Always O Never O Prompt	ew text file line delimiter			
►Java ►JavaScript) Default			
► Mylyn ▼PHP	Other: UTF-8	Other: Unix			
Appearance Code Style					
Code Templates Formatter					
▼Debug Installed Debugger Step Filtering					
Workbench Option:	IMPORTANT!!!				
Code Folding Content Assist Hovers	Change from defaults to UTF-8 encodin	g and Unix line delimiter.			


Preferences > General > Workspace



Preferences > PHP > Code Style > Formatter



Preferences > PHP > Editor > Save Actions



Preferences > Web > CSS Files > Editor

$\Theta \cap \Theta$	Preferences				
type filter text	Editor	<pr -="" p="" ⇒="" ▼<=""></pr>			
▼PHP Executables Execution Environn PHP Interpreter PHP Libraries PHP Manual	HTML editing preferences. Note <u>Editors</u> preference page. Formatting	that some preferences may be set on the <u>Structured Text</u>			
PHP Servers Plug-in Development API Baselines API Errors/Warnings API Use Scans Compilers Editors OSGi Frameworks Target Platform Run/Debug Team CVIC	Line width: 72 Split multiple attributes each Align final bracket in multi-l Clear all blank lines Indent using tabs Indent using spaces Indentation size: 2	c 200 2000			
►CVS File Content ►Git	Inline Elements:	Add			
Ignored Resources Models SVN	abbr acronym b	Remove			
▼Web ▼CSS Files ▼Editor Content Assist Syntax Coloring Templates	basefont big br cite em font	A T			
VHTML Files	Preferred markup case for cont	ent assist, and code generation			
Content Assist Syntax Coloring Templates Typing Validation	Tag names: O Uppercase O Lowercase	Attribute names: O Uppercase O Lowercase			
►XML ▼		A V			
?		Cancel OK			

Preferences > Web > HTML Files > Editor



	Preferences	
type filter text	Editor	<
PHP Manual PHP Servers Plug-in Development API Baselines API Errors/Warnings	XML editing preferences. Note that some preferences may be set on <u>Editors</u> preference page.	on the <u>Structured Text</u>
API Use Scans Compilers Editors OSGi Frameworks Target Platform	Line width: 72 Split multiple attributes each on a new line Align final bracket in multi-line element tags	
 Run/Debug Team CVS File Content Git Ignored Resources Models 	 Preserve whitespace in tags with PCDATA content Clear all blank lines Format comments Join lines 	
►SVN Web CSS Files Editor Content Assist Syntax Coloring Templates	 Insert whitespace before closing empty end-tags Indent using tabs Indent using spaces Indentation size: 2 Grammar Constraints 	
▼HTML Files ▼Editor Content Assist Syntax Coloring Templates Typing Validation	Source of DTD/Schema	
▼XML XML Catalog ▼XML Files ►Editor ▲ Validation ▼	(Restore D	Defaults Apply
?	Can	

Preferences > XML > XML Files > Editor


Helpful Stuff: Preferences

Import Templates for Drupal hooks

Download & Extend

Download & Extend Home	Drupal Core	Modules	Themes	Translations	Installation Profiles
------------------------	-------------	---------	--------	--------------	-----------------------

http://drupal.org/project/eclipse



http://drupal.org/project/eclipse

00		P	references		
pe filter text	Templates				
General	Create, edit or remove tem	nlates			
Ant					
Dynamic Languages	Name	Context	Description	Auto Insi	New
lelp	eco	php	echo a string		
istall/Update	elif elif	php	elseif statement		Edit
va	els els	php	else statement		
vaScript	M fnc	php	function statement		Remove
ylyn	M for	php	for statement		Kemove
P	fore fore	php	foreach statement		
Appearance	forek	php	foreach with key statement		Restore Remo
Code Style	function	php	function statement		inconcertenito
Debug	ĭ if	php	if statement		Deventer D. (
Editor	✓ inst	php	instanceof statement		Revert to Defa
Code Folding	itdir 🗹	php	iterates a directory		
Content Assist	🗹 iter	php	iterates an array		Import
Hovers	🗹 lambda	php	lambda function statement (closure)		import
Mark Occurrences	🗹 my_fa	php	mysql_fetch_array() loop		
Save Actions	My_fo	php	mysql_fetch_object() loop		Export
Syntax Coloring	My_fr	php	mysql_fetch_row() loop		/
Task Tags	✓ my_gc	php	Trap code output	<u> </u>	/
Templates	✓ ns	php	namespace statement		
Typing	A and an	prop.	Coll and a data	· · · · ·	
New Project Layout	(
Path Variables	Preview:				
PHP Executables				/	
Execution Environmer	Oliok (Immort	" and identify the day.	intended "Divinet west" file to edd Divin	al haak tamulata	-
PHP Interpreter	Click "Import	and identify the dow	nloaded "Drupal.xml" file to add Drup	bai nook tempiate	s.
PHP Libraries					
PHP Manual					
PHP Servers					
g-in Development					
/Debug					
m					
0					
L					
				Restore Default	s) Appl
)++(Chestore belaut	
				Cancel) (ок

Preferences > PHP > Editor > Templates

```
🖻 *drupal_eclipse_demo.module 🔀
                                   drupal_eclipse_demo.info
     <?php
  1
2
        hook_filter
                     hook_filter - Drupal 6 hook filter - Define cont /**
                     hook_filter_format_disable - Drupal 7 hook filt * Implements hook_filter_info().
                     hook_filter_format_insert - Drupal 7 hook filter
                                                                 function module_name_filter_info() {
                     hook_filter_format_update - Drupal 7 hook filt
                                                                 tfiltene[1] array(
                     hook_filter_info - Drupal 7 hook filter info - Define content filters.
                     hook_filter_info_alter - Drupal 7 hook filter inf
                                                                 description' => t(''),
                     hook_filter_tips - Drupal 6 hook filter tips - Pr
                                                                 'process callback' => '',
                                                                 'tips callback' => '',
                                                                 );
                                                                 return $filters;
                                                         4 1
                                  Press '^Space' to show Template Propos
       🖻 *drupal_eclipse_demo.module 🔀
                                           drupal_eclipse_demo.info
         1 <?php
         20
             /**
               * Implements hook_filter_info().
                */
         4
         50
              function module_name_filter_info() {
                $filters[''] = array(
         6
         7
                   'title' => t(''),
                   'description' => t(''),
         8
                   'process callback' => '',
         9
        10
                   'tips callback' => '',
        11
                 );
       12
                return $filters;
       13
              }
```

Creating (or customizing) your own templates

000	Preferences					
type filter text	Templates	Templates 🗇 🛪 🗢				
▶General ▶Ant	Create, edit	Create, edit or remove templates:				
▶Aptana Studio ▶Dynamic Languages	Name CIS	Context	Description class statement	Auto Ins New		
▶Help	✓ eco ✓ elif	php php	echo a string elseif statement	Edit		
▶Install/Update ▶Java \varTheta 🔿 🔿	U Cili		emplate			
	_action_info_alter					
Ap Description: Drup	al 7 hook action i	nfo alter – Alter ti	e actions declared by ar	nother module.		
▼Edi */ funct \$\$a }	pal 7 hook action info alter - Alter the actions declared by another module. nplements hook_action_info_alter(). ction \${module_name}_action_info_alter(&\$\$actions) { actions['\${cursor}']; nsert Variable OK at an existing function template					
PH PHP Manual	\$\$actions['\${cursor}'];				
PHP Servers Plug-in Development PyDev Run/Debug Team Web	}					
▶XML				Restore Defaults Apply		
?				Cancel OK		

000	Pre	ferences					
type filter text	Templates		⇔ - ⇔				
▶General ▶Ant	Create, edit or remove ter	Create, edit or remove templates:					
► Aptana Studio ► Dynamic Languages	Name Contex	t Description class statement	Auto Ins New				
▶ Help	🗹 eco php	echo a string					
▶Install/Update	🗹 elif 🛛 php	elseif statement	Edit				
🕨 Java 🥚 🔘 🔘	Ec	lit Template					
JavaSc							
▶ Mylyn Name: hook_a ▼PHP	action_info_alter	Context: php	Automatically insert				
	7 hook action info alter - Alt	ter the actions declared by an	other module.				
Co Pattern: /**							
	ements hook_action_info_alte	er0.					
/	n S{module_name} action_in	fo_alter(&SSLctions) {					
	ions[' <mark>! {cursor}</mark> ' ;						
}							
(at the patt	ern				
Inse	rt Variable)						
Ne							
Pat							
▶PH		(
PH 🕚		C	Cancel OK				
PH PHP Manual	\$\$actions['\${cursor}'];						
PHP Servers		ar signs get double	ed				
Plug-in Development	· · · · · · · · · · · · · · · · · · ·	0 0					
▶ PyDev ▶ Pup / Debug	Z) Vana	able parts get wrap	bea μ Φ{}				
▶Run/Debug ▶Team	3) \${cu	3) \${cursor} is where the cursor is placed					
▶Web		ariable replaceme					
▶XML			Restore Defaults Apply				
2			Cancel OK				
\odot							

Home » API reference » Drupal 7 » views.api.php

hook_views_form_submit

6 docs.php	<pre>hook_views_form_submit(\$form,</pre>	&\$form_state)
7 views.api.php	<pre>hook_views_form_submit(\$form,</pre>	&\$form_state)

Views form (View with form elements) submit handler. Called for all steps (\$form_state['step']) of the multistep form.

Get code for a contrib API hook: Example uses a D7 Views hook

Views' hooks

Related topics

Hooks that can be implemented by other modules in order to implement the Views API.

6 functions implement hook_views_form_submit()

File

contributions/views/docs/views.api.php, line 593

This file contains no working PHP code; it exists to provide additional documentation for doxygen as well as to document hooks in the standard Drupal manner.

Code

```
<?php
function hook_views_form_submit($form, &$form_state) {
   // example code here
}
</pre>
```

http://drupalcontrib.org/api/drupal/contributions!views! docs!views.api.php/group/views_hooks/7

000		Preferences	5		
type filter text	Templates				⇔ + ⇔ + ▼
▶General ▶Ant	Create, edit or re	move templates:			
►Aptana Studio	Name	Context I	Description	Auto Inse	New
Dynamic Languages	hook_validate	php (Drupal 7 hook valid	on 🖉 💆	
▶Help	hook_verif		Drupal 7 hook verif	on	Edit
Install/Undate	V book view		Drupal 7 hook view	00	Luna
Mava 😸 🔿 💟		Edit Temp	late		
▶JavaSc ▶Mylyn Name:	hook_views_form_submit	Conte	xt: php	Automat	tically insert
▼PHP					
	Drupal 7 Views - Views ho	ok_views_form_sub	omit – form (View with	form elements) su	bmit handle
Co Pattern:	function hook_views_form_	submit(\$form, &\$	form_state) {		
► De ▼Edi	<pre>// example code here</pre>		_		
+ Lui	}				
	Insert Variable				
Ne 🐼 Template has incomplete variables. Type '\$\$' to enter the dollar character.					
Pat Conv and naste					
PH ? Copy and paste Cancel OK					
PH			_		11.
PHP Manual		-			
PHP Servers	You ma	iy also w	ant to add	d a docs	block to the
Plug-in Development	_				
▶ PyDev ▶ Run/Debug	templa	te.			
▶Team					
▶ Web					
▶XML			(F	Restore Defaults	Apply
?				Cancel	ОК
					11

000)			Pref	erence	5		
type filt	er text	Т	emplates					\$+\$+ +
► Genera ► Ant	al	C	reate, edit or re	move tem	plates:			
Aptana		1999	ame	Context		Description	Auto Ins	(New)
► Dynam Help	nic Languages		hook_user			Drupal 7 hook user Drupal 7 hook user	on	
▶Install ▶Java	A C C		Edit Template					Edit
► JavaSc ► Mylyn ▼ PHP	Name:	hook_views_					comatically insert	
Ap ▶Co	Description:	Drupal 7 Vie	ws - Views hoo	ok_views_f	orm_su	omit – form (View with	form element	s) submit handle
► De ▼Edi ▼Edi Ne Pat PH PH PH	Pattern:	<pre>\${cursor} } Insert Var</pre>	Fi			ables, et		OK
PHP	Servers							
▶ PyDev ▶ Run/D ▶ Team								
▶Web ▶XML						0	Restore Defaul	Its Apply
?							Cancel	ОК

Productive workflow

Keyboard shortcuts you'll want to take home with you.


Note: The print version of the presentation does not illustrate all shortcuts discussed. Most of these were demonstrated with recorded video "clips". Some of these have been changed to still graphics for the PDF.

Keyboard Shortcuts for better workflow

- **K** (Ctrl + K) Next (Add shift key for "Previous" (e.g. to move between function calls in an open editor window)
- F3 Goto function declaration (in new editor tab if declaration is in another file)
- **Ctrl + D**) Delete current line or selection
- **#O** (Ctrl + O) Lookup function in document (popup menu with all functions in the current document)
- \Re + Option + \downarrow (Ctrl + Alt + \downarrow)

Duplicate current line or selection (below; use 1 to duplicate above)

- **Option** + \downarrow (**Alt** + \downarrow) Move selected lines down (use \uparrow to move them up)
- **%**/ (**Ctrl +** /) Toggle commenting (add or remove line comments in PHP code)
- control + M (Ctrl + M) Toggle maximize/restore state of active view or editor



🔴 🔿 🥥 😰 P	HP – intlinks/intlin	ks_title_filter.inc - Eclip	se SDK – /Users/lowell/Do	ocuments/workspace	
] [3• 🔄 🗟] 棽• ⊘• •] 🖉 😂 🌽 •] ⊿ 🗐 🗊]	約•約•♥◆•				
🖹 PHP Explorer 🕄 🔋 Type Hierarchy 🗖 🗖	intlinks_title_filte	er 🕑 intlinks.module	intlinks_hide_bad_lin	📄 intlinks_title_filter 🛚 🛚	3
	<pre> intlinks_title_filte 57 58 Creturn 59 0rigi 60 and/c 61 */ 62@ function 63 if ((\$mc 64 // Do 65 return 66 // All 67 3 68 \$has_que 69 \$trimmed 70 if (\$trp 71 \$has_c 72 \$path 73 } 74 else { 75 \$path 73 } 74 else { 75 \$path 73 } 74 else { 75 \$path 76 } 77 // If an 78 if (\$trp 79 // an 80 if (\$t 81 // 82 retu 83 } 84 // Dec 85 // Cha 86 elseif 87 // 88 if (\$ 89 \$r 90 // 91 \$ 92 \$i 93 // 94 if </pre>	<pre>intlinks.module inal link, possibly module inal link, possibly module or URL path alias if l intlinks_title_proces atches[2][0] != "/") & nothing if the link i smatches[0]; l links *should* be row ery = FALSE; d_path = ltrim(\$matche pos(\$trimmed_path, '?'; query = TRUE; parts = explode('?', parts</pre>	<pre>dified to include HTML to ink passed was, e.g. <a s_link(\$matches) { & (\$matches[2][0] != '.' s not internal (root rel ot relative. s[2], "/");)) { \$trimmed_path); } strimmed_path); already exists e=') !== FALSE) { to a "normal Drupal path ode/') != 0) { ady have a path alias an l Drupal paths which alr o a path alias, if one e /') { mal Drupal path is the m s_node_path(\$path_parts[\$node_id; xists; otherwise, keep p _alias(\$node_path); eck_plain(\$path); produces 2-element arra == 2) {</a </pre>	<pre>citle="value" attribute href="/node/123">.)) { . or doc rel). " (path alias exists). d title. ready have a title. exists. node id.])) { path as-is.</pre>	e
	97 98	<pre>\$insert_path .= '#' }</pre>	. <pre>\$path_parts[1];</pre>		
Note: You can also see all funct	_	_			ve
(available in PDT, only) or see th	e "outline"	view in variou	s perspectives.		

(Ctrl + /) Toggle line comments on and off for selected lines.

```
125
126 /**
      * Filter tips callback for intlinks_title filter.
127
128
      */
     // function intlinks_title_filter_tips($filter, $format, $long = FALSE) {
129
     // if ($filter->settings['intlinks_title_display_tip']) {
130
           return t('Adds node titles to internal links found in content' .
131 //
132 //
              ' (as HTML "title" attribute).');
133 // }
134 // }
135
```

$\bigcirc \bigcirc \bigcirc \bigcirc$		Preferences	5		
(type filter text	Keys				(□+□)+ ▼
▼General ▶Appearance Capabilities Compare/Patch	Scheme: Default	Filter co	mmands to find v	what you are	looking for.
Content Types	move				8)
▶ Editors	Command	Binding	When	Category	User
Keys Network Connections	Move - Refactoring	Φ\CV	DLTK View	Refactor - PHP	0
Perspectives	Move - Refactoring	άτν	Editing PHP source	Refactor - PHP	
Search	Move - Refactoring	7. MAL	DLTK View	Refactor - PHP	
► Security	Move - Refactoring	\. ₹¥V	Editing PHP source	Refactor - PHP	
Startup and Shutdown	Move - Refactoring	\. Z≋V	In Windows	Refactor - Java	1
Web Browser	Move - Refactoring	Z#V	JavaScript View	Refactor - JavaScript	
▶Workspace	Move Lines Down	17	Editing Text	Text Editing	
►Ant	Move Lines Up	17			
▶Aptana Studio			Editing Text	Text Editing	
Dynamic Languages	Move Resources			Refactoring	
▶ Help	Move Type to New File			Refactor - Java	
▶ Install/Update	Move			File	
▶Java ▶JavaScript	Remove All Breakpoints			Run/Debug	
► Mylyn	Remove Block Comment			Script Source	-
▶ PHP	Remove Block Comment	☆ 第 \	Editing in Structured .		A
▶ Plug-in Development	Remove Block Comment	☆ 第 \	Editing Java Source	Source	T
▶ PyDev ▶ Run/Debug	(Copy Command) Unbind C	Command Restore	e Command		
▶ Team					
▶Web		Ν	Nodify keyboard	shortcut if v	nu like
▶XML	Name: Move Lines Down				
	Description: Moves the selected I	ines down	Conflicts:		
			Command		When
	Binding: CI				
	When: Editing Text		+) + >
	unen.				
				2012	
	Preferences	> Gener	al > Keys	Filter	s Export CSV
			-	touto Pastara	Defaults Apply
	-L displays list mer	iu or avaliabl	e keyboard shor	ICUIS. CRESTORE	Defaults Apply
Repeating this key	ystroke pops up the	illustrated "I	Keys" preference	es.	ancel OK

Back to Plugins...

Ahtik - Eclipse Word Wrap

Note: This plugin is only for the PDT editor, the Aptana Studio 3 editor already includes a Word Wrap function. If you have both PDT and Aptana Studio 3 installed, you will see two different Word Wrap options in the contextual menu, even though only one of them is applicable to the editor you are currently using.

$\bigcirc \bigcirc \bigcirc$	Install
Available Software	
Check the items that you wish to install.	
Work with: Ahtik - http://ahtik.com/eclipse-update	Add
Find r	nore software by working with the <u>"Available Software Sites"</u> preferences.
type filter text	
Name	Version
Vord Wrap Word Wrap Word Wrap Feature	0.0.5
e void map reature	0.0.5
Ahtik - Eclinse V	Nord Wrap Feature
Select All Deselect All 1 item selected	
Details	4
Show only the latest versions of available software	Hide items that are already installed
Group items by category	What is <u>already installed</u> ?
Show only software applicable to target environment	
Contact all update sites during install to find required soft	ware
?	< Back Next > Cancel Finish
Nomer Abtile	
Name: Ahtik	
I ocation http://aht	ik.com.eclipse-update
Location. http://am	in connectipse-update

	00	PHP - fnav_staging/sites/all/modules/admin_menu	/admin_menu.module - Eclips	se SDK – /U	sers/lowell/Documents/workspace
2	• 🗌 🖻	ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا	• 😽 • 🖘 🗇 •		🖹 🗄 <aptana th="" we="" 💙<=""></aptana>
-	P admin	_menu.module 🖾 📄 .log			
8	483	}		-	
	484 485	<pre>\$elements[\$path]['#children'] = theme('ad if (!empty(\$elements[\$path]['#children'])</pre>	💝 Undo Text Change	^Z	<pre>lements[\$path], 'depth' => \$de</pre>
6	486	<pre>\$elements[\$path]['#attributes']['class'</pre>	Revert File		
	487	}	Save Save	жS	8
	488	<pre>if (isset(\$elements[\$path]['#attributes']</pre>			
	489 490	<pre>\$elements[\$path]['#attributes']['class' }</pre>	Commands	•	ass'];
	491	80-Character marke	Kara Mat		-
	492				
	493	\$link = '';	Show In	•	
	494	<pre>if (isset(\$elements[\$path]['#href'])) {</pre>	Open PHP Manual	①F2	
	495 496	// Strip destination query string from hr	Open Declaration	F3	
	496	<pre>// for our JavaScript behavior instead. if (isset(\$elements[\$path]['#options']['q</pre>	Quick Outline	жO	<pre>:h]['#options']['query']['dest</pre>
	498	unset(\$elements[\$path]['#options']['que	Open Type Hierarchy	F4	ing woperons gr query gr uese
	499	<pre>\$elements[\$path]['#options']['attribute</pre>	Quick Type Hierarchy	ЖΤ	1';
	500	}	Open Call Hierarchy	₹₩J	
	501		& Search	20011	and the second
	502	<pre>\$link .= l(\$elements[\$path]['#title'], \$e</pre>	N Search		<pre>1]['#options']);</pre>
	503 504	<pre>} elseif (isset(\$elements[\$path]['#title']))</pre>	Cut	^X	
	505	if (!empty(\$elements[\$path]['#options']['	Сору	жC	
	506	<pre>\$title = \$elements[\$path]['#title'];</pre>	Paste	^V	
	507	}	Faste	v	
	508	else {	Deploy	•	
	509	<pre>\$title = check_plain(\$elements[\$path]['</pre>	(Debie)		
	510	}	Quick Fix	₩1	
	511 512	<pre>if (!empty(\$elements[\$path]['#options'][' \$link .= '<span' .="" drupal_attributes(\$e<="" pre=""></span'></pre>	Source	•	
	513	}	Source		
	514	else {	Properties		
	515	<pre>\$link .= \$title;</pre>			
	516	}	Word Wrap		
	517	}	Run As	•	
	518	CP 25	Dobug Ac		

Word wrap (OFF)

```
PHP - fnav_staging/sites/all/modules/admin_menu/admin_menu.module - Eclipse SDK - ...
📬 • 🔄 🔄 🕸 • 🛇 • 💁 🖉 🗁 🥭 🔗 • 🚺 🌖 •
                                                                             🛱 🖪 <Aptana We...
월 • 집 • ♥ ♦ • • •
                                                                                        - -
   🖻 admin menu.module 🔀
                           pol.
8
                                                                                              8
               LT (LSSet(selements] #Sorted [)) 1
    401
                 $elements[$path]['#sorted'] = TRUE;
    482
铝
                                                                                              >
    483
10
               $elements[$path]['#children'] = theme('admin_menu_links', array('elements'
    484
    485
         => $elements[$path], 'depth' => $depth_child));
                                                                                               8
               if (!empty($elements[$path]['#children'])) {
    486
                                                                                              487
                 $elements[$path]['#attributes']['class'][] = 'expandable';
                                                                                              488
               }
               if (isset($elements[$path]['#attributes']['class'])) {
    489
                 $elements[$path]['#attributes']['class'] = $elements[$path]['#attributes']
    490
         ['class'];
    491
    492
               }
    493
             3
                   80-Character marker
    494
             $link = '':
    495
             if (isset($elements[$path]['#href'])) {
    496
    497
               // Strip destination query string from href attribute and apply a CSS class
              // for our JavaScript behavior instead.
    498
               if (isset($elements[$path]['#options']['query']['destination']) && $elements
    499
     500
         [$path]['#options']['query']['destination'] == $destination) {
                                                                                           501
                 unset($elements[$path]['#options']['query']['destination']);
                 $elements[$path]['#options']['attributes']['class'][] = 'admin-menu-
    502
     503
         destination';
     504
    505
               $link .= l($elements[$path]['#title'], $elements[$path]['#href'], $elements
    506
                                                                                           507
         [$path]['#options']);
    508
             3
                                                                                           elseif (isset($elements[$path]['#title'])) {
    509
               if (!empty($elements[$path]['#options']['html'])) {
                                                                                           510
     511
                 $title = $elements[$path]['#title'];
    512
               }
    513
               else {
                 $title = check_plain($elements[$path]['#title']);
    514
                Word wrap (ON)
```

```
483
484
           $elements[$path]['#children'] = theme('
485
           if (!empty($elements[$path]['#children'
486
             $elements[$path]['#attributes']['clas
487
           3
           if (isset($elements[$path]['#attributes
488
             $elements[$path]['#attributes']['clas
489
490
           3
491
         3
492
         $link = '';
493
         if (isset($elements[$path]['#href'])) {
494
495
           // Strip destination query string from
           // for our JavaScript behavior instead.
496
497
           if (isset($elements[$path]['#options'][
498
             unset($elements[$path]['#options']['d
499
             $elements[$path]['#options']['attribu
500
           }
501
502
           $link .= l($elements[$path]['#title'],
503
         3
         elseif (isset($elements[$path]['#title'])
504
505
           if (!empty($elements[$path]['#options']
506
             $title = $elements[$path]['#title'];
507
           }
508
           else {
             $title = check_plain($elements[$path]
509
510
           3
```

```
483
           $elements[$path]['#children'] = theme('admin_menu_links', array('elements
484
485
         selements[$path], 'depth' => $depth_child));
     =>
           if (!empty($elements[$path]['#children'])) {
486
             $elements[$path]['#attributes']['class'][] = 'expandable';
487
488
           3
489
           if (isset($elements[$path]['#attributes']['class'])) {
490
             $elements[$path]['#attributes']['class'] = $elements[$path]['#attributes']
491
     ['class'];
492
493
         3
494
         $link = '';
495
496
         if (isset($elements[$path]['#href'])) {
           // Strip destination guery string from href attribute and apply a CSS class
497
498
           // for our JavaScript behavior instead.
499
           if (isset($elements[$path]['#options']['query']['destination']) && $elements
     [$path]['#options']['query']['destination'] == $destination) {
500
             unset($elements[$path]['#options']['query']['destination']);
501
502
             $elements[$path]['#options']['attributes']['class'][] = 'admin-menu-
503
     destination':
504
505
           $link .= l($elements[$path]['#title'], $elements[$path]['#href'], $elements
506
     [$path]['#options']);
507
508
509
         elseif (isset($elements[$path]['#title'])) {
510
           if (!empty($elements[$path]['#options']['html'])) {
C11
             $title = $elements[$nath]['#title'].
```


Word wrap (OFF)

Word wrap (ON)

Note: Line numbers not accurate with word wrap on

(Turn word wrap back off to see correct line numbers.)

```
$ A ( ) ( )
                                  admin_menu.module — admin_menu
* admin_menu.module
                                                                                                    V admin_menu
                                                                                                       admin_devel
464
        $depth_child = $depth + 1:-
                                                                                                         admin_menu-rtl.css
465
        foreach (element_children($elements, TRUE) as $path) {-
                                                                                                         admin_menu.api.php
466
          // Early-return nothing if user does not have access.-
                                                                                                          admin_menu.color.css
          if (isset($elements[$path]['#access']) && !$elements[$path]['#access']) {-
467
                                                                                                          admin_menu.css
468
            continue:-
                                                                                                          admin_menu.inc
469
          3
                                                                                                          admin_menu.info
470
          $elements[$path] += array(-
                                                                                                          admin_menu.install
            '#attributes' => array(),-
471
                                                                                                         admin_menu.js
            '#options' => array(),-
472
                                                                                                         admin_menu.map.inc
473
          ):-
                                                                                                         admin_menu.module
          // Render children to determine whether this link is expandable.-
474
                                                                                                         admin_menu.uid1.css
          if (isset($elements[$path]['#type']) || isset($elements[$path]['#theme'])) {-
475
                                                                                                        admin_menu_toolbar
            $elements[$path]['#admin_menu_depth'] = $depth_child;-
476
                                                                                                       admin_views
            $elements[$path]['#children'] = drupal_render($elements[$path]);-
477
                                                                                                         CHANGELOG.txt
478
                                                                                                       images
          3
479
          else {-
                                                                                                         LICENSE.txt
                                                                                                          README.txt
            // Inherit #sorted flag from parent item.-
480
                                                                                                          tests
            if (isset($elements['#sorted'])) {-
481
                                                                                                          translations
              $elements[$path]['#sorted'] = TRUE;-
482
483
            }-
            $elements[$path]['#children'] = theme('admin_menu_links', array('elements' =>
484
      $elements[$path], 'depth' => $depth_child));-
            if (!empty($elements[$path]['#children'])) {-
485
              $elements[$path]['#attributes']['class'][] = 'expandable';-
486
487 🗂
            }
            if (isset($elements[$path]['#attributes']['class'])) {-
488
              $elements[$path]['#attributes']['class'] =
489
      $elements[$path]['#attributes']['class'];-
  .
490
            }
          Comparison: Textmate with "Soft wrap" feature on.
491
492
          $link = '';-
493
          if (isset($elements[$path]['#href'])) {-
494 🖸
            // Strip destination query string from href attribute and apply a CSS class-
495
            // for our JavaScript behavior instead.-
496
497
            if (isset($elements[$path]['#options']['query']['destination']) &&
      $elements[$path]['#options']['query']['destination'] == $destination) {-
  .
498
              unset($elements[$path]['#options']['query']['destination']);-
              $elements[$path]['#options']['attributes']['class'][] = 'admin-menu-destination';-
499
500
            }-
                                                                                                                              0
501
Line: 484 Column: 1
                   HTML
                                       Cor Soft Tabs: 2 theme_admin_menu_links
```



Note: With Aptana Studio 3 Eclipse plugin (at least when using Studio 3's "PHP Source" editor), soft-wrapped lines are correctly renumbered if you drag a view wider or narrower (as illustrated — Aptana Studio info later).

Back to Plugins...

Eclipse Color Theme

$\bigcirc \bigcirc \bigcirc$	Install
Available Software Check the items that you wish to install.	
Work with: Eclipse Color Theme – http://eclipse-color-theme.githu	ib.com/update Add Find more software by working with the <u>"Available Software Sites"</u> preferences.
	The more software by working with the <u>Available Software sites</u> preferences.
type filter text	
Name Image: State of the st	Version
 Eclipse Color Theme 	0.11.1.201106241814
Name: Eclipse Color The Location: http://eclipse Select All Deselect All 1 item selected Details Details 1 item selected	neme e-color-theme.github.com/update
Show only the latest versions of available software	Hide items that are already installed
Group items by category	What is <u>already installed</u> ?
Show only software applicable to target environment	
Contact all update sites during install to find required software	
?	< Back Next > Cancel Finish

6

Preferences

type filter text Color Theme ▼General Theme: Appearance Color Theme Default Colors and Fonts public class Demo { Black Pastel Label Decorations private static final String CONSTANT = "String"; Gedit Original Oblivion Capabilities private Object o; Havenjark Compare/Patch Inkpot Content Types Monokai /** Editors Mr * Creates a new demo. Keys NightLion Aptana Theme * @param o The object to demonstrate. Network Connections Notepad++ Like */ Perspectives Oblivion public Demo(Object o) { Search Obsidian this.o = o;Security Pastel String s = CONSTANT; Startup and Shutdown RecognEyes int i = 1; Web Browser Retta } Workspace Roboticket Ant Schuss Aptana Studio public static void main(String[] args) { Sublime Text 2 Dynamic Languages Demo demo = new Demo(); Sunburst Help Tango Install/Update Vibrant Ink Java Wombat JavaScript Created by Ciaran McCreesh Zenburn Mylyn frontenddev http://www.vim.org/scripts/script.php?script_id=1143 PHP minimal Plug-in Development PyDev Download more themes or create your own on eclipsecolorthemes.org. Run/Debug Team Import a theme... Restore Defaults Web ▶ XML Apply ? Cancel OK FILTER TIPS CALLDACK FOR INTLINKS_NIGE_DAG FILTER. 107 date nhn

Preferences > General > Appearance > Color Theme

I don't mind the default theme, but maybe you want a different one.

Another very popular plugin...

Aptana Studio as Eclipse plugin

Download Aptana Studio 3.0.8

Aptana Studio 3.0.8 is our code base and complete environment that includes extensive capabilities to build Ruby and Rails, PHP, and Python applications, along with complete HTML, CSS and JavaScript editing.



Please provide us your name and email address so that we can get a better sense for who uses our product. We may use this email to occasionally communicate product and company news.

Name	Email Address
Lowell Montgomery	lowellmontgomery@gmail.com
DOWNLOAD APTANA STUDIO 3	
http://www.aptai	na.com/products/studio3/download

Eclipse Plug-in Installation

Installing via Eclipse

Please copy the following Update Site URL to your clipboard and then follow the steps listed below to add this URL to your **Available Software Sites** list. Attempting to access this URL using your web browser will return an Access Denied error.

http://download.aptana.com/studio3/plugin/install

- 1. From the Help menu, select Install New Software... to open the Install New Software dialog.
- 2. Paste the URL for the update site into the Work With text box, and hit the Enter (or Return) key.
- 3. In the populated table below, check the box next to the name of the plug-in, and then click the Next button.
- 4. Click the Next button to go to the license page.
- 5. Choose the option to accept the terms of the license agreement, and click the Finish button.
- 6. You may need to restart Eclipse to continue.

Welcome!

If you are reading this, we'd like to thank you for your interest Aptana Studio. Please read through this guide carefully.

For Aptana Studio 2 Upgraders

Aptana Studio 3 is intended to be completely independent from Aptana Studio 2. You can install both Studio 2 and Studio 3 separately and run them both on the same machine, since they will use different workspace directories. If you wish to

$\Theta \cap \Theta$	Install
Available Software Check the items that you wish to install.	
Work with: Aptana Studio - http://download.aptana.com/too Find mo	ols/studio/plugin/install/studio Add ore software by working with the <u>"Available Software Sites"</u> preferences.
(type filter text)
Name	Version
 Aptana Studio Aptana Studio 	2.0.5.1278522500-5-7857HJ97CFF61HN
Select All Deselect All 1 item selected	
Details	1
Show only the latest versions of available software	Hide items that are already installed
Group items by category	What is <u>already installed</u> ?
Show only software applicable to target environment	
Contact all update sites during install to find required software Aptana Studio 2: http://download.aptana.com/	^{are} tools/studio/plugin/install/studio
?	< Back Next > Cancel Finish
Thursday, March 9, 2012	

$\Theta \cap \Theta$	Install
Available Software Check the items that you wish to install.	
Work with: Aptana Studio 3 - http://download.aptana.com/st Find mo	udio3/plugin/install Add re software by working with the <u>"Available Software Sites"</u> preferences.
(type filter text	
Name	Version
 Aptana Studio 3 Aptana Studio 3 Plugin 	3.0.8.201201626-7E37L7HFGQGNJXI
Select All Deselect All 1 item selected	
Details	
Show only the latest versions of available software	Hide items that are already installed
Group items by category	What is <u>already installed</u> ?
Show only software applicable to target environment	
Contact all update sites during install to find required softwa	re
Aptana Studio 3:	
	m/tools/studio3/plugin/install
?	< Back Next > Cancel Finish


$\Theta \cap \Theta$	Preferences	
type filter text) PHP $(-, -, -, -, -, -, -, -, -, -, -, -, -, -$	
 General Ant Aptana Studio Content Assist Editors Coffeescript CSS ERB HAML HTML JavaScript 	Preferences for the PHP Editor Mark Occurrences Mark occurrences with background color Configure appearance Indentation Tab policy: Use Spaces Tab size: 2 Mark occurrences	
JSON PHP Libraries Ruby SASS XML YAML Find Bar Formatter JavaScript Debug Remote Spelling	Folding Folding Initially fold these elements: Types Functions PHPDoc Multi-line comments	
Tasks	Note: This adds new editor preferen need "Tab policy" to be modified for Restore Defaults Apply	

? **Preferences > Aptana Studio > Editors > PHP**

(and others under **Editors**)


OK

Cancel



Where to find the "Rubles" (bundles) in your file system:

Mac/Linux: ~/Documents/Aptana Rubles



Windows: Aptana Rubles directory in your user folder.

); return \$f }	Undo Text Change Revert File Save	₩Z		
/** * Filter p *	Commands Open With Show In	Ca	apistrano	
* @param \$ * Text t * * @return	Open PHP Manual Open Declaration Ouick Outline	仓F2 Dr	AML block	Hooks Theme Documentation for Selection (Drupal 7) ^
hook_cor hook_cor hook_cor hook_cor hook_cor	nment_delete hook_commen nment_insert hook_commen nment_load hook_comment_ nment_presave hook_comme nment_publish hook_comme nment_unpublish hook_com	t_insert→ _load→ ent_presave→ ent_publish→ ment_unpublish-	filter 🕨	Lait this buildie
hook_cor	nment_view hook_comment_ nment_view_alter hook_com		help image locale	
hook_cor			→ image locale menu	

At the time of my DrupalCamp Essen session this had me stumped.

It turned out that the hook and theme function templates found in the Commands menu (provided by Aptana-installed "bundles", aka "Rubles") only work when active in the "PHP Source Editor", which is provided by the Aptana plugin. Bundleadded commands are "grayed out" when active in the PDT-supplied "PHP Editor" view, but it's not easy to tell which editor is in use. For easiest use of Aptana Studio's bundles, you may wish to uninstall PDT and the Drupal PDT plugin, then assign the "PHP Source Editor" to .module, .install, .test, profile, .engine, and .test files.



Drupal development with the Eclipse IDE Lowell Montgomery, Cocomore AG / Freelancer

Keep an eye on the Cocomore Drupal Blog (<u>http://drupal.cocomore.com/blog</u>) for more tips to improve productivity in Eclipse / Aptana and for other useful Drupal-related articles.

An article expanding on this presentation has now been posted: http://drupal.cocomore.com/blog/using-eclipse-pdt-drupal-development